	Application No.	Applicant(s)
Notice of Allowability	10/550,055	COX ET AL.
	Examiner	Art Unit
	Jesús D. Sotelo	3617
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	ears on the cover sheet wi 5 (OR REMAINS) CLOSED in 6) or other appropriate commining RIGHTS. This application is:	ith the correspondence address n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to the amendment filed	<u> 9/21/05</u> .	
2. X The allowed claim(s) is/are <u>1-8</u> .		
 3. Acknowledgment is made of a claim for foreign priority u a) All b) Some* c) None of the: 1. Certified copies of the priority documents hav 2. Certified copies of the priority documents hav 3. Copies of the certified copies of the priority do 	e been received. e been received in Applicatio	on No
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDON! THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subn INFORMAL PATENT APPLICATION (PTO-152) which giv		
5. CORRECTED DRAWINGS (as "replacement sheets") mu	st be submitted.	
(a) \square including changes required by the Notice of Draftsper	son's Patent Drawing Review	w (PTO-948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date	_·	•
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date	's Amendment / Comment o	r in the Office action of
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in		
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATE FOR THE DEPOSIT OF BIO	ERIAL must be submitted. Note the DLOGICAL MATERIAL.
		•
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of In	formal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413), /Mail Date
3. Information Disclosure Statements (PTO/SB/08),	7. Examiner's	Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's	Statement of Reasons for Allowance
	9. Other	<u>_</u> .
		·
	•	

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The prior art does not disclose a water intake riser suspended from a vessel including a riser connected to a riser hanger and including first and second tubular elements; a flexible load transfer element joining the tubular elements, and a hose secured to the tubular elements. generally as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 2. Claims 1-8 are allowed.
- Any inquiry concerning this communication or earlier communications from the 3. examiner should be directed to Jesús D. Sotelo whose telephone number is 571-272-6686. The examiner can normally be reached on Mon. – Fri. 5:30 AM – 2:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Samuel J. Morano can be reached on 571-272-6684. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/550,055

Art Unit: 3617

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Primary Examiner Art unit 3617

Page 3

KNX 03D85 ◎

jds

June 28, 2007